

# deepBlockAlign v1.0

## Alignment parameters:

```


[Input]
date and time          Sun, 03 Feb 2013 00:51:14 +0100
first block group      BrainSknshraRep1_cluster_1967
first file             /home/projects/users/sachin/frontier/putative_mirna//tmp0query.tmp
second block group     bg_30
second file            /home/projects/users/sachin/frontier/bgs/mirbase.all.map.bgs.flagged.sig

[Block group alignment]
distance weight        1
block weight           1
gap penalty            -1


[Block alignment]
gap initialization penalty -2
gap extension penalty   -1
threshold for expression difference 1
match score            1
mismatch score         -1
profile shape difference penalty 1

[Block group information]
Entropy (first block group) 1.58
Reads (first block group)   14.00
% Unique reads (first block group) 100
Entropy (second block group) 1.51
Reads (second block group)  2296.00
% Unique reads (second block group) 100
  
```

**Block group alignment:** *BrainSknshraRep1-cluster-1967-n-a(+)* with *bg-30-tca-mir-3811c-2-MI0016276(+)* [Score: 0.80]



## Block alignment:



**Citation:** Langenberger, D\*, Pundhir, S\*, Ekstrøm, C.T., Stadler, P.F., Hoffmann, S., and Gorodkin, J.(2012). deepBlockAlign: A tool for aligning RNA-seq profiles of read block patterns. *Bioinformatics*, **28**(1),17-24. (\*equal contribution)