


deepBlockAlign v1.0


Alignment parameters:

[Input]	
date and time	Sun, 03 Feb 2013 01:48:54 +0100
first block group	CervixHelas3Rep2_cluster.9241
first file	/home/projects/users/sachin/frontier/putative_mirna//tmp3000query.tmp
second block group	bg_517
second file	/home/projects/users/sachin/frontier/bgs/mirbase.all.map.bgs.flagged.sig
[Block group alignment]	
distance weight	1
block weight	1
gap penalty	-1
[Block alignment]	
gap initialization penalty	-2
gap extension penalty	-1
threshold for expression difference	1
match score	1
mismatch score	-1
profile shape difference penalty	1
[Block group information]	
Entropy (first block group)	2.20
Reads (first block group)	10.25
% Unique reads (first block group)	88
Entropy (second block group)	1.99
Reads (second block group)	89.00
% Unique reads (second block group)	100

Block group alignment: CervixHelas3Rep2-cluster-9241-n-a(+) with bg-517-osa-MIR5539-MI0019060(-) [Score: 0.71]



Block alignment:



Citation: Langenberger, D*, Pundhir, S*, Ekstrøm, C.T., Stadler, P.F., Hoffmann, S., and Gorodkin, J.(2012). deepBlockAlign: A tool for aligning RNA-seq profiles of read block patterns. *Bioinformatics*, **28**(1),17-24. (*equal contribution)