

deepBlockAlign v1.0

Alignment parameters:


```
[Input]
date and time          Sun, 03 Feb 2013 01:53:55 +0100
first block group      EpitheliumA549Rep2_cluster_2434
first file             /home/projects/users/sachin/frontier/putative_mirna//tmp3000query.tmp
second block group     bg_529
second file            /home/projects/users/sachin/frontier/bgs/mirbase.all.map.bgs.flagged.sig

[Block group alignment]
distance weight        1
block weight           1
gap penalty            -1


[Block alignment]
gap initialization penalty -2
gap extension penalty    -1
threshold for expression difference 1
match score             1
mismatch score          -1
profile shape difference penalty 1

[Block group information]
Entropy (first block group) 2.16
Reads (first block group) 16.50
% Unique reads (first block group) 97
Entropy (second block group) 2.77
Reads (second block group) 446.00
% Unique reads (second block group) 100
```

Block group alignment: EpitheliumA549Rep2-cluster-2434-n-a(-) with bg-529-mmu-mir-344f-MI0014098(-) [Score: 0.75]



Block alignment:



Citation: Langenberger, D*, Pundhir, S*, Ekstrøm, C.T., Stadler, P.F., Hoffmann, S., and Gorodkin, J.(2012). deepBlockAlign: A tool for aligning RNA-seq profiles of read block patterns. *Bioinformatics*, **28**(1),17-24. (*equal contribution)