

deepBlockAlign v1.0

Alignment parameters:

```


[Input]
date and time                Sun, 03 Feb 2013 00:44:25 +0100
first block group            LiverHepg2Rep2_cluster_5546
first file                   /home/projects/users/sachin/frontier/putative_mirna//tmp0query.tmp
second block group           bg_496
second file                   /home/projects/users/sachin/frontier/bgs/mirbase.all.map.bgs.flagged.sig

[Block group alignment]
distance weight              1
block weight                 1
gap penalty                  -1


[Block alignment]
gap initialization penalty    -2
gap extension penalty        -1
threshold for expression difference 1
match score                  1
mismatch score              -1
profile shape difference penalty 1

[Block group information]
Entropy (first block group)  1.89
Reads (first block group)    12.00
% Unique reads (first block group) 100
Entropy (second block group)  2.28
Reads (second block group)    12.00
% Unique reads (second block group) 100
  
```

Block group alignment: LiverHepg2Rep2-cluster-5546-n-a(+) with bg-496-hsa-mir-4766-MI0017407(-) [Score: 0.76]



Block alignment:



Citation: Langenberger, D*, Pundhir, S*, Ekstrøm, C.T., Stadler, P.F., Hoffmann, S., and Gorodkin, J.(2012). deepBlockAlign: A tool for aligning RNA-seq profiles of read block patterns. *Bioinformatics*, **28**(1),17-24. (*equal contribution)