

deepBlockAlign v1.0

Alignment parameters:


```
[Input]
date and time          Sun, 03 Feb 2013 01:59:18 +0100
first block group      BrainSknshraRep2_cluster.1752
first file             /home/projects/users/sachin/frontier/putative_mirna//tmp3500query.tmp
second block group     bg_774
second file            /home/projects/users/sachin/frontier/bgs/mirbase.all.map.bgs.flagged.sig

[Block group alignment]
distance weight        1
block weight           1
gap penalty            -1


[Block alignment]
gap initialization penalty -2
gap extension penalty    -1
threshold for expression difference 1
match score              1
mismatch score           -1
profile shape difference penalty 1

[Block group information]
Entropy (first block group) 2.11
Reads (first block group)   20.00
% Unique reads (first block group) 95
Entropy (second block group) 1.95
Reads (second block group)  300.00
% Unique reads (second block group) 100
```

Block group alignment: BrainSknshraRep2-cluster-1752-n-a(-) with bg-774-hsa-mir-105-1-MI0000111(-) [Score: 0.76]



Block alignment:



Citation: Langenberger, D*, Pundhir, S*, Ekström, C.T., Stadler, P.F., Hoffmann, S., and Gorodkin, J.(2012). deepBlockAlign: A tool for aligning RNA-seq profiles of read block patterns. *Bioinformatics*, **28**(1),17-24. (*equal contribution)