

deepBlockAlign v1.0

Alignment parameters:

[Input]
date and time Sun, 03 Feb 2013 01:55:17 +0100
first block group SkinBjRep2_cluster_1394
first file /home/projects/users/sachin/frontier/putative_mirna//tmp3000query.tmp
second block group bg_42
second file /home/projects/users/sachin/frontier/bgs/mirbase.all.map.bgs.flagged.sig

[Block group alignment]

distance weight 1
block weight 1
gap penalty -1


[Block alignment]

gap initialization penalty -2
gap extension penalty -1
threshold for expression difference 1
match score 1
mismatch score -1
profile shape difference penalty 1


[Block group information]

Entropy (first block group) 1.01
Reads (first block group) 361.33
% Unique reads (first block group) 99
Entropy (second block group) 0.85
Reads (second block group) 33.00
% Unique reads (second block group) 100

Block group alignment: SkinBjRep2-cluster-1394-hsa-mir-1287(-) with bg-42-cbr-mir-51-MI0001398(+) [Score: 0.78]



Block alignment:



Citation: Langenberger, D*, Pundhir, S*, Ekstrøm, C.T., Stadler, P.F., Hoffmann, S., and Gorodkin, J.(2012). deepBlockAlign: A tool for aligning RNA-seq profiles of read block patterns. *Bioinformatics*, **28**(1),17-24. (*equal contribution)